

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| 3        | 24   | 370/244.ccls. and @pd>20031230   | USPAT   | 2004/09/01 14:27 |
| 4        | 134  | 714/4,23,34.ccls. and @pd>20031230   | USPAT   | 2004/09/01 14:27 |
| -        | 1257 | 714/\$.ccls. and (exchange or router) and reset  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/21 10:54 |
| -        | 3256 | 714/\$.ccls. and (exchange or router)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 14:57 |
| -        | 299  | 714/\$.ccls. and (exchange or router) and (reset adj signal)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 15:00 |
| -        | 99   | 714/\$.ccls. and (switching adj equipment)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 14:57 |
| -        | 0    | 714/\$.ccls. and (exchange or router or (switching adj equipment)) same (reset adj signal) same (detect\$3 adj fault)        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 08:06 |
| -        | 60   | 714/\$.ccls. and (exchange or router) and (reset adj signal) and (detect\$3 adj fault)                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 15:41 |
| -        | 31   | (detect\$3 adj (fault or error)) with (router or exchange or (switch adj equipment)) and (reset adj signal)                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 15:50 |
| -        | 21   | 714/\$.ccls. and (detect\$3 adj (fault or error)) with (router or exchange or (switch adj equipment)) and (reset adj signal) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 15:47 |
| -        | 21   | (detect\$3 adj (fault or error)) near5 (router or exchange or (switch adj equipment)) and (reset adj signal)                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 16:07 |
| -        | 0    | (detect\$3 adj (fault or error)) near3 (router or exchange or (switch adj equipment)) same (reset adj signal)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 16:09 |
| -        | 19   | (detect\$3 adj (fault or error)) near3 (router or exchange or (switch adj equipment)) and (reset adj signal)                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 16:10 |
| -        | 141  | (detect\$3 adj (fault or error)) near3 (router or exchange or (switch adj equipment))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 17:04 |
| -        | 402  | (detect\$3 adj (fault or error)) with (router or exchange or (switch adj equipment))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 16:42 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 95  | (detect\$3 adj (fault or error)) near2 (router or exchange or (switch adj equipment))                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 16:43 |
| - | 76  | (detect\$3 adj (fault or error)) adj3 (router or exchange or (switch adj equipment))                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 17:08 |
| - | 43  | (detect\$3 adj fault) adj3 (router or exchange or (switch adj equipment))                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 17:16 |
| - | 0   | (detect\$3 adj fault) adj3 (router or exchange or (switch adj equipment)) and reset                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 17:12 |
| - | 14  | (detect\$3 adj fault) near5 (router or exchange or (switch adj equipment)) and reset                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/30 17:12 |
| - | 0   | ((detect\$3 adj fault) with (router or exchange or (switch\$3 adj equipment))) same (reset adj signal)).ab. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 07:54 |
| - | 43  | ((detect\$3 adj fault) same (reset adj signal)).ab.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 08:05 |
| - | 20  | 714/\$.ccls. and (detect\$3 adj fault) same (reset adj signal)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 08:06 |
| - | 29  | 714/\$.ccls. and ((exchange or router) and (switching adj equipment))                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 08:26 |
| - | 558 | (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt) and bus              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:30 |
| - | 628 | (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:35 |
| - | 301 | (router or exchange or (switching adj equipment)) and (reset adj signal) and (clock adj5 interrupt)         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:32 |
| - | 2   | (router or exchange or (switching adj equipment)) same reset same (clock adj5 interrupt)                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:31 |
| - | 248 | fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:32 |

|   |      |  |   |                  |
|---|------|--|---|------------------|
| - | 148  | fault and (router or exchange or (switching adj equipment)) and (reset adj signal) and (clock adj5 interrupt)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:35 |
| - | 1    | (router or exchange or (switching adj equipment)) same reset same (clock adj5 interrupt) same bus  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:33 |
| - | 148  | (fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) and (fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) and (fault and (router or exchange or (switching adj equipment)) and (reset adj signal) and (clock adj5 interrupt))                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:34 |
| - | 248  | (fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) or (fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) or (fault and (router or exchange or (switching adj equipment)) and (reset adj signal) and (clock adj5 interrupt))                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:44 |
| - | 0    | 714/4.ccls. and ((fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) or (fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) or (fault and (router or exchange or (switching adj equipment)) and (reset adj signal) and (clock adj5 interrupt)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 10:44 |
| - | 36   | 714/\$.ccls. and ((fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) or (fault and (router or exchange or (switching adj equipment)) and reset and (clock adj5 interrupt)) or (fault and (router or exchange or (switching adj equipment)) and (reset adj signal) and (clock adj5 interrupt))) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 13:34 |
| - | 76   | 370/244.ccls. and reset  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 13:54 |
| - | 17   | 370/244.ccls. and (reset adj signal)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 13:38 |
| - | 1686 | 370/\$.ccls. and (reset adj signal)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 13:40 |
| - | 5    | 370/244.ccls. and reset and (detect adj fault)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 13:58 |
| - | 2    | 370/244.ccls. and reset and (detect adj fault) near7 (switching or router or exchange)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 13:55 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 288 | 370/244.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/12/31 14:08 |
| - | 1   | "5436895".PN.   | USPAT   | 2002/12/31 14:12 |
| - | 1   | "5436895".PN.   | USPAT   | 2002/12/31 14:13 |
| - | 1   | "5933412".PN.   | USPAT   | 2002/12/31 14:13 |
| - | 253 | (714/23,30,34).ccls. and reset and (switch or router or exchange)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 08:02 |
| - | 106 | (714/23,30,34).ccls. and reset same (switch or router or exchange)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 08:03 |
| - | 63  | (714/23).ccls. and reset same (switch or router or exchange)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 08:31 |
| - | 192 | (714/23).ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 08:04 |
| - | 0   | (714/23).ccls. and reset same (router or (exchange adj switch))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 08:54 |
| - | 31  | (714/\$).ccls. and reset same (router or (exchange adj switch))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 09:09 |
| - | 161 | ((714/\$).ccls. or (370/\$).ccls.) and reset same (router or (exchange adj switch))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 09:13 |
| - | 0   | (714/34).ccls. and reset same (router or (exchange adj switch))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 09:13 |
| - | 2   | (714/34).ccls. and reset and (router or (exchange adj switch))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 09:10 |
| - | 405 | reset same (router or (exchange adj switch))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 09:13 |
| - | 8   | ((detect\$3 or identify\$3) adj (fault or failure or (signal near3 interrupt))) near10 (router or (exchange adj switch))) and reset | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 09:18 |
| - | 33  | 714/34.ccls. and (clock same interrupt\$3)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 13:27 |

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| - | 25    | 714/34.ccls. and (clock same interrupt\$3) and reset  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 14:21 |
| - | 0     | 714/34.ccls. and (detect near (clock same interrupt\$3)) and reset                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 14:21 |
| - | 25    | (detect\$3 near (clock same interrupt\$3)) and reset  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 14:25 |
| - | 7     | (detect\$3 adj ((clock or (clock adj signal)) same interrupt\$3))                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/03 09:17 |
| - | 2     | ((clock or (clock adj signal)) same interrupt\$3) same (router or (switch\$3 adj equipment)) same reset | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 14:18 |
| - | 0     | 714/34.ccls. and (detect near (clock same interrupt\$3))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 14:52 |
| - | 71    | (detect\$3 near (clock same interrupt\$3))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 16:16 |
| - | 24237 | clock same interrupt\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 16:20 |
| - | 1172  | (clock same interrupt\$3) same (reset adj signal)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/03 08:39 |
| - | 27    | detect adj clock adj interruption   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/02 16:24 |
| - | 2     | (detect\$3 adj ((clock or (clock adj signal)) same interrupt\$3)) near processor                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/03 09:19 |
| - | 73    | ((clock or (clock adj signal)) same interrupt\$3) same (router or (switch\$3 adj equipment)) and reset  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/03 09:28 |
| - | 640   | ((clock or (clock adj signal)) near5 processor near7 interrupt\$3)                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/03 09:31 |
| - | 103   | detect same (((clock or (clock adj signal)) near5 processor) same interrupt\$3)                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/03 10:05 |
| - | 1     | 05066999.pn.  | JPO   | 2003/01/03 09:50 |

|   |      |  |   |                  |
|---|------|--|---|------------------|
| - | 19   | detect same (((clock or (clock adj signal)) near5 processor) same interrupt\$3) same reset | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/01/03 10:08 |
| - | 222  | ((continuously adj2 signal\$3) same reset)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/21 10:57 |
| - | 943  | ((continuous\$2 adj2 signal\$3) same reset)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/21 10:58 |
| - | 4    | ((continuously adj2 signal\$3) same reset) same processor                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/04/21 10:59 |
| - | 183  | 714/4,23,37.ccls. and @pd>20030421   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 10:47 |
| - | 22   | 370/244.ccls. and @pd>20030421   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 10:47 |
| - | 1    | 370/244.ccls. and @pd>20030421 and ((fault or error or failure) same clock)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 10:48 |
| - | 11   | 714/4,23,37.ccls. and @pd>20030421 and ((fault or error or failure) same clock)            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 10:56 |
| - | 451  | (continuously adj (reset\$3 or reboot\$3))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 13:26 |
| - | 1646 | (clock adj2 (fault or failure or error)) and (reset\$3 or reboot\$3)                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 13:28 |
| - | 9    | (clock adj2 (fault or failure or error)) and (continuous\$2 adj (reset\$3 or reboot\$3))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 13:29 |
| - | 1    | (continuous\$2 adj (reset\$3 or reboot\$3)) adj (processor or circuit)                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 13:30 |
| - | 344  | (continuous\$2 adj signal) same (reset\$3 or reboot\$3)                                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 13:31 |
| - | 114  | (continuous\$2 adj signal) with (reset\$3 or reboot\$3)                                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/29 15:41 |